



METAXDOOR MR30/SM Standard Manual Revolving Door



Revolving Doors




Sliding Doors



Swing Doors





3-Leaf-Manual Revolving Door



4-Leaf-Manual Revolving Door



Night Shield

*You Dream,
We Build*

Wherever you need a durable and economic entrance system **METAXDOOR MR30/SM** Manual Revolving Door is the solution for you.



METAXDOOR MR30/SM series manual revolving doors are designed specially for entrances where durability and economy are the main objectives. These doors; made of aluminium and glass, have the ability to be made automatic whenever requested.

METAXDOOR MR30/SM series manual revolving doors also provide you with a variety of external designs and chic looks to fit your buildings exteriors.

If the conditions are tough and you want an economic entrance solution which will complete your building's exterior design **METAXDOOR** MR30/SM manual revolving doors are made for you.




| D | D1 | D2 | W/3 | W/4 | H | K |
|------|------|------|------|------|-----------|---------|
| 2000 | 1966 | 1906 | 860 | 1270 | 2100-2400 | 140-300 |
| 2200 | 2166 | 2106 | 960 | 1410 | 2100-2400 | 140-300 |
| 2400 | 2366 | 2306 | 1060 | 1550 | 2100-2400 | 140-300 |
| 2600 | 2566 | 2506 | 1160 | 1690 | 2100-2400 | 140-300 |
| 2800 | 2766 | 2706 | 1260 | 1830 | 2100-2400 | 140-300 |
| 3000 | 2966 | 2906 | 1360 | 1970 | 2100-2400 | 140-300 |



* Dimensions are in millimeters.

** Special dimensions available on request.

*** Dimensions are for information purposes only and are subject to change upon static requirements.



D: Outer Canopy Diameter
D1: Outer Ground Diameter
D2: Inner Diameter
W: Passage Width
H: Passage Height
K: Canopy Height




| Technical Specifications | | |
|---|----------|----------------------------|
| Drum Walls, Curved Glasses | Standard | 4 + 4 mm Laminated Glasses |
| Drum Walls, Sheet Metal Panelling | | Optional |
| Door Leaves, Glasses | Standard | 8 mm Tempered Glasses |
| Door Handles Vertical Stainless Steel 70 cm | Standard | |
| Halogen Spot Light | | Optional |
| LED Spot Light Cool White/Warm Daylight | Standard | |
| Anodized Finish | Standard | |
| Electrostatic Powder Coating / Standard RAL | Standard | |
| Stainless Steel Cladding | | Optional |
| Floor Mat | | Optional |
| Floor Ring | | Optional |
| Waterproof Ceiling | | Optional |
| Night Shield | | Optional |
| Theftproof System | | Optional |
| Lighting on/off Button | Standard | |
| Speed Control Mechanism | | Optional |
| Circular Air Curtain | | Optional |
| Espagnolette Lock | | Optional |

* Contact for special request are upon project basis.

** Some specifications not available for static requirements.

*** Contact for detailed information.



Mechanism

Metaxdoor revolving door systems' canopies are manufactured as modular; made of only aluminium alloy and without any kind of welding.

Mechanic units are designed specially for revolving door systems, within our research and development facilities and in cooperation with top European companies. These systems are manufactured to far exceed your expectations.

Leaves

Everything is assembled seamlessly and smoothly by the unique designed frame profiles and natural horse hair brushes surrounding the frame in the leaves of Metaxdoor revolving door systems. With this harmony; air, dust and noise insulation is maximized. The unique design used in the profiles provides Metaxdoor revolving door systems with toughness along with an extremely chic look.

Glasses

As standard; 4+4 mm curved laminated glasses are used on fixed frames and 8 mm tempered glasses are used on the moving leaves. 5+5 mm curved laminated and 10 mm tempered glasses can also be used upon request.

Providing these qualities and dimensions, any kind of colour and coloured reflected glasses can be used as options on the system. Glasses are protected from outside effects by glass seals.



HTM METAXDOOR GmbH
Bredeneyer Str. 2b 45133 Essen
Tel : 0201 4517-322 • Fax: 0201 4517-323
www.metaxdoor.de • info@metaxdoor.de

