

230V



S800 ENC

Underground hydraulic operator for swing-leaf gates

FAAC
Simply automatic.

S800 ENC 230V

230V underground hydraulic operator for residential and condominium gates with leaves weighing up to 800 kg and 4 m in length.

Available for opening angles of: 100° - 180°.



HYDRAULIC TECHNOLOGY

FAAC hydraulic technology ensures the operator is reliable, strong and durable, meaning that its high performance will be guaranteed even in demanding applications with a very high use frequency.

BUILT-IN POSITIVE STOPS

The adjustable built-in positive stops enable the opening and closing stop positions to be set and avoids the need to install mechanical stops on the ground. **(FAAC PATENT)**



ANTI-CRUSHING SAFETY

Anti-crushing safety and the reverse on obstacle detection function are guaranteed by by-pass valves that regulate the force exerted on the automation system and by an integrated BUS2easy absolute encoder (connected using only two non-polarised cables). In the event of a power failure, the absolute encoder will memorise the position of the leaf wherever it stops.



HYDRAULIC RELEASE SYSTEM

The release system can be operated from inside or outside the property using a coded key.



LOAD-BEARING STEEL HOUSING

Installation and maintenance is made easier by the use of a bearing housing that supports the gate. Available with cathaphoresis treatment (possible to weld to pillars) or in stainless steel.



INTEGRATED HANDLES

Two integrated handles make it easy to handle the operator during installation and maintenance. **(FAAC PATENT)**



High frequency use

Load-bearing steel housing

Built-in positive stops **(FAAC PATENT)**

Integrated handles for easy handling **(FAAC PATENT)**

Built-in BUS 2easy absolute magnetic encoder

Anti-crushing sensitivity adjustment




DIMENSIONS AND TECHNICAL SPECIFICATIONS

MODEL	S800 ENC CBAC	S800 ENC SBW
Power supply	220-240V ~ 50/60Hz	
Electric motor	Asynchronous single-phase	
Max power	280 W	
Max torque	550 Nm	
Max angular speed	7,8°/s	
Operating temperature	-20°C ÷ +55°C	
Weight	16,0 kg (100°) / 16,5 kg (180°)	
Control boards	Not included	
Oil type	FAAC HP OIL	
Max opening angle	113° (S800 ENC 100°) / 187° (S800 ENC 180°)	
Protection class	IP 67	
Deceleration type	electronic	
Max leaf width	2 m	4 m
Frequency of use	45 cycles/hour	
Hydraulic lock	present	not present
Max leaf weight	800 Kg	

2easy

omni
DEC

CE



FAAC

HEADQUARTERS

ITALY

FAAC S.p.A. - Soc. Unipersonale
Via Calari 10 - 40069 Zola Predosa (BO)
Tel. +39 051 61724 - Fax +39 051 758518
it.info@faacgroup.com - www.faacgroup.com

SUBSIDIARIES

ASIA - PACIFIC

FAAC MALAYSIA
Selangor, Malaysia
tel. +60 3 5123 0033
www.faac.international

AUSTRALIA

FAAC AUSTRALIA PTY LTD
Homebush – Sydney, Australia
tel. +61 2 87565644
www.faac.com.au

AUSTRIA

FAAC GMBH
Salzburg, Austria
tel. +43 662 85333950
www.faac.at

FAAC BV - TUBULAR MOTORS
Doetinchem, The Netherlands
tel. +49 30 5679 6645
faacbv.info@faacgroup.com
www.faac-tubularmotors.com

BENELUX

FAAC BENELUX NV/SA
Brugge, Belgium
tel. +32 50 320202
www.faacbenelux.com

FAAC BV
Doetinchem, The Netherlands
tel. +31 314 369911
faacbv.info@faacgroup.com
www.faacbv.com

BRAZIL

INDÚSTRIAS ROSSI ELETROMECAÂNICA SA
Brasília DF, Brazil
tel. +55 61 33998787
www.rossiportoes.com.br

CHINA

FAAC SHANGHAI
Shanghai, China
tel. +86 21 68182970
www.faacgroup.cn

FRANCE

FAAC FRANCE
Saint Priest - Lyon, France
tel. +33 4 72213020
www.faac.fr

FAAC FRANCE - AGENCE PARIS
Massy - Paris, France
tel. +33 4 72213020
www.faac.fr

FAAC FRANCE - DEPARTEMENT VOLETS
Saint Denis de Pile - Bordeaux, France
tel. +33 5 57551890
www.faac.fr

GERMANY

FAAC GMBH
Freilassing, Germany
tel. +49 8654 49810
www.faac.de

FAAC BV - TUBULAR MOTORS
Doetinchem, The Netherlands
tel. +49 30 5679 6645
faacbv.info@faacgroup.com
www.faac-tubularmotors.com

INDIA

FAAC INDIA PVT. LTD
Noida – Delhi, India
tel. +91 120 3934100/4199
www.faacindia.com

IRELAND

NATIONAL AUTOMATION LTD
Co. Roscommon, Ireland
tel. +353 71 9663893
www.nal.ie

MIDDLE EAST

FAAC MIDDLE EAST FZE
Dubai Silicon Oasis Operation Center - Dubai, UAE
tel. + 971 4 3724190
www.faac.ae

POLAND

FAAC POLSKA SP.ZO.O
Warszawa, Poland
tel. +48 22 8141422
fax +48 22 8142024
www.faac.pl

RUSSIA

FAAC RUSSIA
Moscow, Russia
tel. +7 (495) 646 24 29
www.faac.ru

SCANDINAVIA

FAAC NORDIC AB
Perstorp, Sweden
tel. +46 435 779500
www.faac.se

SOUTH AFRICA

CENTURION SYSTEMS PTY LTD
2162 Johannesburg
tel. +27 11 699 2400
www.centsys.co.za

SPAIN

CLEM, S.A.U.
San Sebastián de los Reyes - Madrid, Spain
tel. +34 91 3581110
www.faac.es

SWITZERLAND

FAAC AG
Altdorf, Switzerland
tel. +41 41 8713440
www.faac.ch

TURKEY

FAAC OTOMATİK GEÇİŞ SİSTEMLERİ
SAN. VE TİC. LTD. SİRKETİ
İstanbul, Turkey
tel. +90 (0)212 - 3431311
www.faac.com.tr

UNITED KINGDOM

FAAC UK LTD.
Basingstoke Hampshire, UK
tel. +44 1256 318100
www.faac.co.uk

U.S.A.

FAAC INTERNATIONAL INC
Rockledge, FL - U.S.A.
tel. +1 866 925 3222
www.faacusa.com

FAAC INTERNATIONAL INC
Fullerton, California - U.S.A.
tel. +1 714 446 9800
www.faacusa.com

FAAC
Simply automatic.

FAAC S.p.A. - Soc. Unipersonale
Via Calari 10 - 40069 Zola Predosa (BO)
Tel. +39 051 61724 - Fax +39 051 758518
it.info@faacgroup.com - www.faac.it

